

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5944833".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:51
L2	2	"5944833".pn. and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:53
L3	1	l1 and constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:54
L4	94	(insert\$3 or introduc\$4) with dummy with (instruction or procedure or module or operation or algorithm) with (constant or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:56
L5	0	(insert\$3 or introduc\$4) with dummy with (instruction or procedure or module or operation or algorithm) with (constant adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:56
L6	90	(insert\$3 or introduc\$4) with dummy with (instruction or procedure or module or operation or algorithm) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:56
L7	9	(insert\$3 or introduc\$4) with dummy with (instruction or procedure or module or operation or algorithm) with (constant or "same" adj interval or time near3 interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 15:00
L8	8	(ic or smart\$1card or chip or integrated adj circuit) with insert\$3 with dummy with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 15:03

EAST Search History

L9	0	dummy with random\$3 with (introduc\$4 or insert\$3) with maintain\$4 with constant with time with (instruction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:00
L10	0	dummy with random\$3 with (introduc\$4 or insert\$3) with maintain\$4 with constant with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:00
L11	0	dummy with random\$3 with (introduc\$4 or insert\$3) with constant with time with (operation\$1 or instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:01
L12	0	dummy with random\$3 with (introduc\$4 or insert\$3) with constant with time with (operation\$1 or instruction\$1 or execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:02
L13	0	(dummy or garbage) with random\$3 with (introduc\$4 or insert\$3) with constant with time with (operation\$1 or instruction\$1 or execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:03
L14	0	(dummy or garbage) with random\$3 with constant with time with (operation\$1 or instruction\$1 or execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:04
L15	17	(dummy or garbage) with random\$3 with time with (operation\$1 or instruction\$1 or execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:04
L16	5	l15 and @ad<"19990201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 16:05

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1131	380/46,37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:20
L2	2060	713/189,400.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:21
L3	318	726/23.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:21
L4	3480	I1 or I2 or I3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:21
L5	94	(insert\$3 or introduc\$4) with dummy with (instruction or procedure or module or operation or algorithm) with (constant or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:22
L6	0	I4 and L5	USPAT	OR	OFF	2006/03/13 18:23
L7	9	I4 and (insert\$4 or introduc\$4) with dummy	USPAT	OR	OFF	2006/03/13 18:23
L8	8	I7 and time	USPAT	OR	OFF	2006/03/13 18:23
L9	0	I4 and (insert\$4 or introduc\$4) with dummy with (execution or operation or instruction) with constant with time	USPAT	OR	OFF	2006/03/13 18:24